Eventide®

LOG DE SERIES

Advanced Recording Solutions for Mission-Critical Communications



Recording Systems • Software Solutions • Edge Capture Devices

NG9-1-1 • P25 Radio • DMR • IP Dispatch • ATC/ATM Incident Reconstruction • Instant Recall • Mobile Quality Assessment • Screen Recording • Reporting VoIP • SIP • Digital • Analog • T1/E1 • ISDN • ED-137B/C

Eventide's mission-critical recording solutions are trusted by organizations worldwide to capture, secure and reconstruct their most important interactions.

NexLog DX-Series Communications Recording Software and Solutions

NexLog DX-SeriesTM recording solutions are the culmination of over 30 years of mission-critical recording experience. The DX-Series continues the NexLog tradition of reliability and ease-of-use while focusing on Digital Transformation (DX) to meet tomorrow's needs. With expanded solution architectures, as well as enhanced security, scalability and integrations, the NexLog DX-Series is truly the next generation recorder.

The NexLog DX-Series software includes multi-tier security and a web-based configuration management tool, as well as support for password policies, Active Directory, SNMP, TLS and AES-256 encryption.

The innovative *NexLog Access Bridge* option enables a scalable approach to enterprise deployments. Multiple recorders can be linked together for unified searching, replay, incident management and configuration.

NexLog 740 DX-Series™ Recording Solution



Channel Capacity*: 96 Analog, 96 Digital PBX, 192 T1, 240 E1, 560 VoIP, 240+ P25, 240+ DMR 3U Rack-Mountable

NexLog 840 DX-Series™ Recording Solution



Channel Capacity*: 240 Analog, 240 Digital PBX, 240 T1, 240 E1, 560 VoIP, 240+ P25, 240+ DMR 4U Rack-Mountable

Smart Edge Capture Device™



Captures, Buffers and Transfers to DX-Series Recording Solutions Up to 24 Analog, 24 Digital, 48 T1, 60 E1 or 120 VoIP Channels. 1U


NexLog DX-Series™ Virtual Recording Software Solution



Channel Capacity*: 560 VoIP, 240+ P25. Add *DX-Series Smart Gateways* for Analog, Digital or Remote VoIP. Works with **ESXi**

MediaWorks DX Software: Incident Reconstruction, Instant Recall and More!

The *MediaWorks DX* ™ software option provides secure access, replay and management of audio, screen, multimedia, text and TDD recordings. It is available via web browser on PCs, tablets and phones (using secure HTML5 technology) or as a native application on a PC. MediaWorks DX provides a complete set of tools to Browse, Search, Replay, Instant Recall, Live Monitor, Reconstruct Incidents, Protect, Export and much more.




Capabilities include: Graphical Time-Line • Waveform Display • Talking Time and Date • Zoom In/Out • Loop Playback Skip Forward/Back • Playback AGC • Pitch-Corrected Variable Speed • Redact Audio • Obfuscate Audio • Audio Annotation • Text Annotation • Screen Replay • Text/SMS Replay • Multimedia Replay • Call Notes • Lock Recordings Protect Calls • Quarantine Recordings • Pop-Out Search Tools • Geo-Fence Search • Speech Search • Location Display** Location Tracking** • Multi-Parameter Search • Create Incident • Modify Incident • Attach Other Media • Split/Join Audio Clips • Restrict Access • Share Incident Folder • Pre-Set Exports • Menu Driven Export • Incident Export • Single and Multi-Recording Export • Export with Secure Standalone Player • Phone and Tablet Support • Multiple Monitor Support Configurable Layout • Dark Mode • Touch Screen Support • Accessibility Modes • Two Factor Authentication • Auditing • Upload videos and images to an incident for storage and replay***

Quality Factor DX Software: Integrated Quality Assessment and Reporting

The Quality Factor DX ™ software option facilitates a quality assurance program to fit your agency's needs. With its built-in APCO/NENA QA/QI evaluation forms, you can quickly start measuring agent performance and help to protect your center from unwarranted conformance questions.

Quality Factor DX software includes a wide range of options for scoring, comments, notifications, scheduling, and reporting that can be selected to fit any agency. Add the optional Screen Recording DX software to get the complete picture via synchronized voice and screen replay.




Reporting Engine DX

The flexible Reporting Engine DX ™ option provides directors and managers with business intelligence to help determine necessary staffing levels and workflows, and to help justify budgets. Radio traffic, 9-1-1 and administrative phone activity can all be joined into actionable reports.

Reports can be generated on a schedule and delivered via email, PDF,

or viewed in a browser. Custom reports can be designed from scratch or by starting



Screen Recording DX

The Screen Recording DX ™ option allows you to capture high-quality videos of workstation activity that can be seamlessly synchronized with recorder audio. Supervisors can benefit by obtaining a better understanding of each agent's compliance with required practices and protocols. Screen Recording DX can capture the important imagery appearing on a user's PC screen, such as surveillance camera video, maps, or overlay application video. Screen recording replay can also aid during incident investigations and can help to document issues with other software.

The Screen Recording DX software can efficiently capture up to 20 frames per second, offers flexible bandwidth-limiting options, supports multiple displays and is compatible with modern Windows and Linux workstations.

NexLog DX-Series Software Update Subscription (DXSUS)

The NexLog DX-Series software continues to evolve in order to meet tomorrow's technical and security challenges, and new software versions and updates are produced on a regular basis. The DX-Series Software Update Subscription (DXSUS ™) provides access to these important software versions and updates, which can incorporate Linux security updates, application-level security updates, and improvements to existing functionality. Each NexLog DX-Series software version is conveniently designated by its year of release, as well as its update level (example: "Version 2020.1").

The first 12 Months of DXSUS coverage is included at no charge with the purchase of each DX-Series recorder, DX-Series virtual recording solution or Smart Edge Capture Device. Yearly renewals of coverage will help assure that your NexLog DX-Series products maintain the highest levels of security, performance, functionality and supportability.

LCD Touch Screen

The optional 7" multi-touch LCD screen (on the front panel) lets you conveniently search and replay calls, protect calls, create incidents, export, burn to CD/DVD, live monitor, view alerts, view archive status, configure the NexLog DX recording system and more.



Info mode: Channels, Archives, Alerts, Live Monitor



Replay mode: Search, Replay, Build Incidents, Export

NexLog DX-Series Interoperability:

RADIO TECHNOLOGIES:

Motorola Astro 25 Motorola Dimetra IP Motorola MotoTrbo Cap Max Motorola MotoTrbo Cap Plus Motorola MotoTrbo LCP Motorola MotoTrbo IPSC Motorola SmartNet/Zone Motorola MDC1200 L3Harris VIDA P25 L3Harris EDACS via MGW ISSI & OTAR for P25 Trunked EF Johnson ATLAS P25 Tait P25 Trunked via ISSI Tait/L3Harris DMR Tier III Tait/L3Harris DMR Tier II Tait MPT-IP Sepura/Fylde DMR III Sepura/Fylde MPT1327 ICOM iDAS Conventional Kenwood NexEdge Trunked

9-1-1 TECHNOLOGIES:

ESChat PTT

NENA i3 SIPREC
NENA i3 SMS/MMS/Logging
Zetron MAX Call Taking
Zetron Series 3200
Intrado VIPER
Motorola VESTA
Motorola CallWorks
Emergitech IP9-1-1
TCS Solacom Guardian
MicroAutomation Omni911
RapidSOS
Carbyne 911
Priority Dispatch AQUA

CAD TECHNOLOGIES:

Southern Software
Hexagon Edge Frontier
New World Tyler
MobileTec InMotion
Motorola Spillman
Geoconex
RapidDeploy
Central Square: Inform,
Zuercher and Sungard

DISPATCH TECHNOLOGIES:

Zetron MAX Dispatch Zetron ACOM Novus Zetron DCS-5020 **AVTEC Scout** Motorola MCC7500 **Omnitronics Omnicore** L3Harris SwitchPlus IP L3Harris Symphony Telex Radio Dispatch Telex IP-223 & IP-224 Catalyst IP|Console PENTA cPCx Cisco IPICS **CSS Mindshare** CTI RadioPro Dispatch InterTalk Vantage DCS iNEMSOFT Console/Gateway SmartPTT Dispatch JPS Interoperability Solutions

PHONE TECHNOLOGIES:

VoIP and SIP Telephones Digital PBX Telephones Analog Telephones 2-wire Analog lines 4-wire Analog circuits CAMA Trunks T1, E1, and ISDN Trunks SIP Trunks Cisco Built-in Bridge (BiB) Mitel SRC

ADDITIONAL TECHNOLOGIES:

VMware
AWS Cloud Storage
Calabrio (NexLog as Gateway)
Harding Instruments DXL Intercom
GAI-Tronics Intercom
Industronic PA/GA
Thales TopSky
ThruPut ATG
Asterix IP Surveillance Data
Park Air T6 GRS
Jotron 7000 Series GRS
Rohde & Schwarz 4400 GRS

Air Traffic Management and ED-137

NexLog DX-Series recording solutions can record all types of ATC/ATM audio sources, including controller working positions, VCCS, GRS, ambient audio, and telephones. NexLog systems fully support the ED-137B/C-Part 4 (VoIP) recording interface. Eventide actively participates in EUROCAE's Working Group 67 and the EUROCONTROL VOTE group.

Synchronized Replay for ATC/ATM

NexLog DX-Series systems can directly record CWP screens and provide synchronized replay of both screen and audio. NexLog DX-Series recorders can also interface with Thales airspace navigation systems for synchronized replay of audio with CWP scenario replay. A DX-Series replay control API is also available.

Redundancy

NexLog 740 DX-Series and NexLog 840 DX-Series recorders each include redundant power supplies and redundant disk drives. Redundant archiving options include NAS, Blu-ray/DVD-RAM, RDX, and removable HDD.

NexLog 740 DX-Series and NexLog 840 DX-Series recorders are available in sets of multiple units for fully redundant "Active + Active" recording, storage and archiving.



© 2020 Eventide Inc. Specifications and features are subject to change without notice. Some listed features are extra-cost options. Capacities are for DX-Series units. *Check with Eventide for mixed-type channel capacities, and for pre-sales review of digital phone, LMR, VoIP phone, and VoIP codec compatibility. **Location view & tracking functions require coordinates to be delivered to the recorder and require both Chrome browser and Google Maps. *** Optional feature.

Email: loggers@eventide.com